

ELMARK[®]


The Brand of Electricity

BELLA LUMINAIRE

SMD2835 STELLAR

GENERAL INFORMATION »

- ∴ Rated voltage: 230V/ 50-60Hz
- ∴ Power: 18W; 36W; 54W
- ∴ Colour temperature: 4000K; 6500K
- ∴ LED source: Sanan SMD2835
- ∴ Colour: Grey
- ∴ Body: PC
- ∴ Diffuser: PC Opal
- ∴ Clips: Polycarbonate
- ∴ Cable gland, metal clips for wall fixing
- ∴ Colour rendering index: Ra≥80
- ∴ Switch on/off: 20 000
- ∴ Average life: 30 000h
- ∴ Protection against dust and moisture: IP65
- ∴ Available in variant with an emergency kit



FEATURES »

- ∴ Replacement of conventional fluorescent tubes with highly efficient LED strip
- ∴ Installation options: surface ceiling mounting
- ∴ Low power consumption
- ∴ Instant light with maximum luminous flux
- ∴ No ultraviolet and infrared rays
- ∴ Stable and functional light distribution


AREAS OF APPLICATION »

- ∴ Damp areas
- ∴ Dusty environment
- ∴ Kitchen premises
- ∴ Roofed outdoor areas

PRODUCT DETAILS »

Catalogue number	Catalogue number with Emergency kit	Watt (W)	Whole fixture Lumens (lm)	Colour temp. (K)	Colour body
9XBR18LED	-	18	1620	4000	grey
9XBR18LEDCW	-	18	1620	6500	grey
9XBR36LED	9XBR36LEDE	36	3240	4000	grey
9XBR36LEDCW	9XBR36LEDCWE	36	3240	6500	grey
9XBR54LED	9XBR54LEDE	54	4860	4000	grey
9XBR54LEDCW	9XBR54LEDCWE	54	4860	6500	grey

DIMENSIONS »





Model	Length	Width	Height
9XBR18LED	610	75	62
9XBR18LEDCW	610	75	62
9XBR36LED	1210	75	62
9XBR36LEDCW	1210	75	62
9XBR54LED	1510	75	62
9XBR54LEDCW	1510	75	62

LED EMERGENCY KIT SPECIFICATIONS »




General information »

- ∴ Voltage: AC85-265V 50Hz
- ∴ Emergency Output: 3-40W
- ∴ Emergency Time: 2hrs (120mins)
- ∴ Battery: 3.7V 2400mAh
- ∴ Emergency Switching Time: <2s
- ∴ AC Fuse: 250V 1A
- ∴ DC Fuse: 250V 5A
- ∴ Luminous Flux: >100lm
- ∴ Light Source: LED
- ∴ Working temperature: -10°C +55°C
- ∴ IP Rate: IP30




● Red = Charging ● Blue = Emergency ● Green = Power


ADDITIONAL INFORMATION »



9XBR18LED




This luminaire contains built-in LED lamps.



L
E
D

The lamps cannot be changed in the luminaire.

874/2012



Catalogue number	Barcode	Packing/Box (pcs)
9XBR18LED	3800131223739	1/8
9XBR18LEDCW	3800131225719	1/8
9XBR36LED	3800131223746	1/8
9XBR36LEDCW	3800131225726	1/8
9XBR54LED	3800131223753	1/8
9XBR54LEDCW	3800131225733	1/8

